



MODEL		SPRINT 3213TC
STROKE	X AXIS	3700MM
	Y AXIS	2000MM
	Z AXIS	250MM
TABLE SIZE		3200×1300MM
MAX. FEED SPEED	X Y AXIS	36M/MIN
	Z AXIS	12M/MIN
NO.1 ATC	SPEED	1000-18000 RPM
	TOOL HOLDER SHANK	SK30
	NUMBER OF TOOLS	8
NO.2 MULTI-DRILL	12×5+2(16)&4-SIDE DRILL	Ø10MM
	SPEED	4500 RPM
TOOL DIA	FOR ROUTER BIT (Ø.D.)	Ø12 ,Ø16 mm
POWER	ATC HEAD	7.5KW
	MULTI-DRILL	1.5KW
	VACUUM BLOWER	250 C.B.M/H.R
AIR PRESSURE		6KG/CM ²
NC CONTROLLER		ANDI-FANUC
DIMENSIONS	FLOOR AREA	6330×3400MM
	HEIGHT	2440MM
	WEIGHT	5200KG
POWER CONSUMPTION	RATED CURRENT	57A(380V)
	TOTAL POWER	30KW
NC CONTROLLER	Ø150MM	45 M ³ /MIN





01-85094 SPRINT 3213TC

